

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9882	("707"/\$.ccls or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38
L2	5	1 and (creat\$6 or generat\$6) near4 (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L3	5	1 and (creat\$6 or generat\$6) near4 (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L4	5	1 and (creat\$6 or generat\$6) with (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L5	8	1 and (creat\$6 or generat\$6) same (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:32
L6	296	(creat\$6 or generat\$6) same (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:32
L7	21	6 and retriev\$6 near9 (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:34
L8	9	7 and query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L9	1579	1 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:36

L10	37	9 and query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L11	0	10 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L12	2969	query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L13	40	12 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:40
L14	0	13 and ("707"/\$.ccls or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38
L15	1	13 and access adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:40
L16	17356	(opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:41
L17	9	16 and access adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:40
L18	24	16 and query near3 optimiz\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9882	("707"/\$.ccls or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38
L2	5	1 and (creat\$6 or generat\$6) near4 (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L3	5	1 and (creat\$6 or generat\$6) near4 (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L4	5	1 and (creat\$6 or generat\$6) with (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:31
L5	8	1 and (creat\$6 or generat\$6) same (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:32
L6	296	(creat\$6 or generat\$6) same (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:32
L7	21	6 and retriev\$6 near9 (access adj2 plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:34
L8	9	7 and query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L9	1579	1 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:36

L10	37	9 and query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L11	0	10 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L12	2969	query and (rdbms or rdb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:37
L13	40	12 and (opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38
L14	0	13 and ("707"/\$.ccls or "717"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38
L15	1	13 and access adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	66	(query adj optimizer) same (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:02
L2	3	1 and ((execut\$7 adj function) or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:49
L3	1	1 and ((executable adj function) or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:49
L4	59	1 and ((query adj6 operat\$4) or operand or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:03
L5	55	4 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:02
L6	25	5 not (business or international). as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:58
L7	78	(query adj optimiz\$9) same (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:02
L8	68	7 and ("707"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:02
L9	65	8 and ((query adj6 operat\$4) or operand or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:04

L10	3	8 and ((query adj6 operat\$4) and operand and code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:04
L11	45	8 and ((query adj6 operat\$4) or operand or code or opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:05
L12	65	8 and ((query adj6 operat\$4) or operand or code or opcode or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11047	operation adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:31
L2	7	1 and (pre-pass or prepass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:43
L3	74	1 and direct adj call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:40
L4	46	3 and (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:36
L5	43	4 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:37
L6	12	3 and (runtime or (run adj time)) adj3 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:36
L7	3	1 and access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:43
L8	463	access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:38
L9	56	(access adj plan) near5 (operation or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:38

L10	0	9 and lookup adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:39
L11	15	1 and lookup adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:39
L12	0	1 and direct adj call adj mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:40
L13	0	direct adj call adj mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:44
L14	0	(direct adj call) same lookup same (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:42
L15	4	(direct adj call) same (lookup and (runtime or (run adj time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:42
L16	89	(pre-pass or prepass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:44
L17	1	16 and access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:43
L18	1	16 and direct adj call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 11:44

(5596317
6134580
5881264
6115814
6308182
6381324
5563586
5763958
4293118
4302820
4606065
4763252
5278848
5294202
5333284
5381532
5404499
5609560
5715462
5748963
5875402
6128710
6188650
4246638
4262332
4276444
4376976
4422144
4442321
4445190
4452518
4462077
4471352
4481587
4484273
4512453
4520439
4550369
4550732
4558175
4573119
4592024
4591973
4597079
4608631
4617660
4763248
4763251
4764866
4766516).pn.
(4766573
4785417
4791564
4797815
4808995
4816635
4819202
4821186
4821240
4823323
4827471
4837702
4851878

4894814
4903200
4903232
4920518
4922417
4952785
4953203
4959780
4974208
4987560
4989113
4999554
4999620
5000393
5058116
5179528
5182766
5185868
5216227
5222222
5231694
5245705
5251306
5261065
5278395
5287503
5305372
5311176
5317549
5319469
5319765
5321826
5323465
5339160
5345570
5367572
5371605).pn.
(5377261
5382752
5384754
5386457
5390169
5390310
5404495
5406619
5412711
5414751
5418952
5423045
5434650
5442341
5451934
5452351
5477041
5477474
5479632
5481742
5483352
5487144
5491828
5497462
5504922
5515519

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	185	minimiz\$7 with disk with (access adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:07
L2	4	1 and query adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:52
L3	0	1 and opcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:15
L4	100	(opcode or (operatiion adj code) or (query adj5 operation)) with (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:33
L5	0	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:16
L6	7	4 and query adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:17
L7	0	6 and lookup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:18
L8	0	6 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:19
L9	52	4 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:55

L10	0	1 and qgm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:26
L11	94	(Query adj graph adj model) or QGM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:18
L12	0	11 and (LOLEPOP\$1 or (low adj level adj plan adjoperator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:28
L13	4	(LOLEPOP\$1 or (low adj level adj plan adjoperator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:28
L14	1	(LOLEPOP\$1 or (low adj level adj plan adj operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:30
L15	1	14 and qep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:30
L16	11	11 and qep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:30
L17	47	11 and query adj2 plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:52
L18	0	17 and (opcode or (operation adj code) or (query adj5 operation)) with (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:52
L19	20	17 and (opcode or (operation adj code) or (query adj5 operation)) and (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 13:56

L20	2	19 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:05
L21	23	17 and (opcode or (operation adj code) or (query adj5 operation) or (access adj plan)) and (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:05
L22	310	(opcode or (operatiion adj code) or (query adj5 operation) or (access adj plan)) same (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:05
L23	8	22 and (lookup or (look\$3 adj4 up)) adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:07
L24	0	22 and (lookup or (look\$3 adj4 up)) and codgen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:13
L25	0	22 and (lookup or (look\$3 adj4 up)) and ((code adj generation adj module) or codgen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:08
L26	63	(lookup or (look\$3 adj4 up)) and ((code adj generation adj module) or codgen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:09
L27	164	((code adj generation adj module) or codgen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:17
L28	0	27 and (opcode or (operatiion adj code) or (query adj5 operation)) with (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:12
L29	4	((code adj generation adj module) or codgen) and access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:10

L30	18	(opcode or (operation adj code) or (query adj5 operation)) same (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:14
L31	0	30 and (lookup or (look\$3 adj4 up)) and codgen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:17
L32	0	((opcode or (operation adj code)) same operand) and (query adj5 operation) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:15
L33	0	((opcode or (operation adj code)) same operand) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:16
L34	0	((opcode or (operation adj code)) same operand) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:16
L35	4326	((opcode or (operation adj code)) same operand)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:27
L36	1	35 and query and (Rdbms or RDB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:33
L37	0	35 and (lookup or (look\$3 adj4 up)) and codgen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:17
L38	1056	35 and (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:17
L39	0	38 and ((code adj generation adj module) or codgen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:18

L40	0	38 and ((Query adj graph adj model) or QGM or qep or (query adj2 plan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:18
L41	239	35 and (query or Rdbms or RDB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:19
L42	18	41 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:20
L43	177	((opcode or (operation adj code)) same operand) same (lookup or (look\$3 adj4 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:32
L44	159	43 and access adjplan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:31
L45	6	44 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:32
L46	0	43 and access adj plan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:31
L47	8270	(opcode or (operation adj code)) and (lookup or (look\$3 adj4 up)) abd (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:32
L48	413	47 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:32
L49	119	48 and query and (Rdbms or RDB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:33

L50	30	49 and (opcode or (operatiion adj code) or (query adj5 operation)) and (runtime or (run adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:34
-----	----	--	---	----	----	------------------